

Bright mild steel cold finished hexagonal bar

Product range and theoretical weights					
Diameter		Weight (kg/m)	Diameter		Weight (kg/m)
mm	inches		mm	inches	
3.18	0.125	0.07	25.00	0.984	4.25
4.76	0.187	0.15	25.40	1.000	4.39
6.00	0.236	0.24	26.00	1.024	4.59
6.35	0.250	0.27	27.00	1.063	4.96
7.00	0.276	0.33	28.57	1.125	5.55
7.94	0.313	0.43	30.00	1.181	6.12
8.00	0.315	0.43	31.75	1.250	6.85
9.00	0.354	0.55	32.00	1.260	6.96
9.52	0.375	0.62	33.00	1.300	7.40
10.00	0.394	0.68	34.92	1.375	8.29
11.11	0.437	0.84	35.00	1.378	8.33
12.00	0.472	0.98	36.00	1.417	8.81
12.70	0.500	1.10	38.10	1.500	9.87
13.00	0.512	1.15	39.00	1.535	10.34
14.00	0.551	1.33	40.00	1.575	10.88
14.29	0.563	1.39	41.27	1.625	11.58
14.55	0.572	1.44	42.42	1.670	12.23
15.00	0.591	1.53	44.45	1.750	13.43
15.88	0.625	1.71	45.00	1.772	13.77
16.00	0.630	1.74	46.00	1.811	14.38
17.00	0.669	1.96	47.62	1.875	15.42
17.46	0.687	2.07	50.00	1.969	16.99
18.00	0.709	2.20	52.07	2.050	18.43
19.00	0.748	2.45	50.80	2.000	17.54
19.05	0.750	2.47	53.67	2.113	19.58
20.00	0.787	2.72	55.00	2.165	20.56
20.64	0.812	2.90	57.15	2.250	22.20
21.00	0.827	3.00	60.00	2.362	24.47
22.00	0.866	3.29	63.50	2.500	27.41
22.22	0.875	3.36	65.00	2.559	28.72
23.81	0.937	3.85	70.00	2.756	33.31
24.00	0.945	3.92	75.00	2.953	38.24

Grades: 1045, 1214, 12L14

Other sizes available up to 100mm mill sourced generally.